


Tension Fabric Prize Wheel


Assembly Instructions

Laid all parts to the ground.




1. Assemble the Base Frame

Match the numbered labels on each base frame section, then connect the corresponding sides together. Once aligned, attach the crossbars to one side of the base. Then combine the two sides.




2. Complete the Base Structure

Attach the remaining top and bottom frame pieces to fully complete the base assembly. Ensure all connections are securely fitted.



3. Install the Base Graphic

Slide the base fabric graphic over the frame like a pillowcase, then zip it closed to secure.



Storage & Care:


Store in a cool dry location. Clean hardware with a damp cloth. Machine wash the graphics in cold water on a gently cycle. Air dry only. Use a steamer for wrinkles. Never dry-clean.

Tension Fabric Prize Wheel

Assembly Instructions


4. Assemble the Outer Wheel

Match the numbered sections and connect the curved frame pieces together to form a complete circle. Be careful not to put weight on the circle once it is combined to avoid bending it out of round.




5. Assemble the Cross Brace

Connect the cross brace pieces together, ensuring all nuts face the same direction for proper alignment.




6. Install the Cross Brace

Insert the cross brace into the center of the wheel, align the holes, and secure it by threading the bolts through the outer wheel into the threaded ends of the cross brace, then tighten using the provided hex key. Make sure that the outer inner nuts at the center of the wheel is opposite to the outer nuts on the wheel's edge.



7. Install the Pegs

Screw each peg into the designated holes around the outer wheel and hand-tighten until snug.



Storage & Care:


Store in a cool dry location. Clean hardware with a damp cloth. Machine wash the graphics in cold water on a gently cycle. Air dry only. Use a steamer for wrinkles. Never dry-clean.

Tension Fabric Prize Wheel

Assembly Instructions


8. Install the Front Graphic

Position the front fabric graphic over the wheel and carefully place the grommets over each peg until fully secured.




9. Install the Back Graphic

Turn the wheel around and attach the back fabric panel, then zip it closed using the split zipper (similar to a jacket zipper).




10. Attach the Rotation Hub

Secure the rotation hub to the back of the wheel by inserting the bolts into the threaded inserts and tightening fully with the provided hex key.



11. Mount the Wheel to the Frame

Lift the fully assembled wheel and mount it onto the frame, then secure it using the two provided bolts (one at the top and one in the center).



Storage & Care:

Store in a cool dry location. Clean hardware with a damp cloth. Machine wash the graphics in cold water on a gently cycle. Air dry only. Use a steamer for wrinkles. Never dry-clean.